



**Strux**  
*Tension mounted pole system*



**Flex S**  
*Single point display system*  
*3<sup>rd</sup> edition*

4	<i>Strux pole, uprights &amp; mounting accessories</i>
8	<i>Sign holders for Strux upright with cast base</i>
10	<i>Strux wall mounts</i>
14	<i>Flex S holders</i>
18	<i>Strux LCD mounts &amp; accessories</i>
22	<i>Strux Collar &amp; Clamp</i>
24	<i>Strux accessories</i>
42	<i>Trax V+ mounting brackets for Strux</i>

*Discover CUBIC...*

*Modular store fixtures that feature simplicity, flexibility and seamlessly interconnect. We specialise in converting your design challenge into what you need, when you need it. Our products are designed to complement creativity and are backed by support tools to allow your design team to bring your vision to reality.*

*Go on, get creative...*

## ***It's what's on the inside that sets it apart.***

*When it comes to strength, Strux is a on a league of its own. The completely hidden, clever height adjustment system is extremely strong and reliable. This opens up all sorts of options for this category of product. No longer restricted to windows and basic signage, Strux is suitable for all sorts of merchandising scenarios.*



## ***A peace of mind***

*Strux is a GS certified system. The GS mark is validation that all relevant standards and technical norms are observed.*





### Strux tension mounted pole

011 anodised

**max 100kg**  
(220 lbs) per pole



<p><b>PR-ST-022</b></p>	<p><b>PR-ST-312</b></p>	<p>012 black anodised</p> <p>013 bright anodised</p> <p>017 matt black anodised</p> <p><b>Made to order finish examples</b></p>
-------------------------	-------------------------	---


### Floor & ceiling mounting support

000 no finish specified



**×2**


**PR-ST-319**



Pole spirit level

000 no finish specified

PR-ST-117




Strux upright on glass base plate

010 matt silver\*

\*Upright finish: 010 matt silver

\*Base finish: 040 clear

PR-ST-313



i




### Strux upright with cast base (A)

010 matt silver\*



\*Upright finish: 010 matt silver  
\*Base finish: 062 matt silver upper/black lower

PR-ST-300




### Strux upright with cast base (B)

000 no finish specified\*



\*Upright finish: 010 matt silver  
\*Base finish: 061 black upper/matt silver lower

PR-ST-301



# Sign holders for Strux upright with cast base


## Sign holder bracket

020 chrome

021 satin chrome



100mm PR-RA-141  
300mm PR-RA-142



## Sign holder


002 transparent



A5L PR-RA-146  
A5P PR-RA-147  
A4L PR-RA-148  
A4P PR-RA-149

7"×5" PR-RA-900  
5"×7" PR-RA-901  
11"×8.5" PR-RA-902  
8.5"×11" PR-RA-903

\* Sign holder bracket to be ordered separately.






### Index double-sided sign holder rod

-  020 *chrome*
-  021 *satin chrome*



- 100mm **PR-IN-320**
- 300mm **PR-IN-321**
- 500mm **PR-IN-322**




### Index double-sided sign holder

-  100 *gloss white*



\* Sign holder rod to be ordered separately.

- |                      |                           |
|----------------------|---------------------------|
| A5L <b>PR-IN-313</b> | 7"×5" <b>PR-IN-910</b>    |
| A5P <b>PR-IN-314</b> | 5"×7" <b>PR-IN-912</b>    |
| A4L <b>PR-IN-315</b> | 11"×8.5" <b>PR-IN-913</b> |
| A4P <b>PR-IN-316</b> | 8.5"×11" <b>PR-IN-914</b> |








### Strux wall mount (A)



011 *anodised*

**max 35kg**  
(75 lbs) per mount

PR-ST-105




### Strux plaster wall mount plate (A)



010 *matt silver*

PR-ST-163




Strux wall mount (B)

011 anodised

max 50kg  
(110 lbs) per mount



700mm PR-ST-158  
1000mm PR-ST-159




Strux plaster wall mount plate (B)

010 matt silver



×2

PR-ST-187







021 satin chrome holder



021 satin chrome holder for wood (19mm)

021 satin chrome double sided holder for wood (19mm/38mm)



021 satin chrome holder for glass (10mm)

021 satin chrome double sided holder for glass (10mm)



### Flex S holder

021 *satin chrome*


**max 20kg**  
(40 lbs) per holder



**×4**

\* Mounting hardware is not included.


PR-FS-300



### Flex S holder for wooden panel (19mm)

021 *satin chrome*


**max 15kg**  
(30 lbs) per holder



**×4**

\* Mounting bolts supplied are for use on 19mm (3/4") panel.

PR-FS-301



### Flex S double sided holder for wooden panel (19mm/38mm)

021 *satin chrome*


**max 15kg**  
(30 lbs) per holder



**×4**

\* Mounting bolts supplied are for use on 19mm (3/4") & 38mm (1 1/2") panel.

PR-FS-302



Flex S holder for glass panel (10mm)

021 *satin chrome*


 **max 7kg**  
(15 lbs) per holder



×4

\* Mounting bolts supplied are for use on 10mm (3/8") panel.

PR-FS-303



Flex S double sided holder for glass panel (10mm)

021 *satin chrome*


 **max 7kg**  
(15 lbs) per holder



×4

\* Mounting bolts supplied are for use on 10mm (3/8") panel.

PR-FS-304










### LCD arm mount (10-32 inch)



021 *satin chrome*

**max 32kg**  
(70 lbs) per arm

PR-ST-062

-  004 *black*
-  014 *matt black*

**min 50**  
Made to order finish options

### LCD mount (10-32 inch)




021 *satin chrome*

**max 32kg**  
(70 lbs) per arm

PR-ST-083

-  004 *black*
-  014 *matt black*

**min 50**  
Made to order finish options






### Strux LCD mount bracket set

● 004 black

×2

PR-ST-320





### Cable retaining profile

● 006 grey

×3

PR-ST-080







### Collar

021 *satin chrome*

**max 40kg**  
(85 lbs) per collar



PR-ST-034

collar

- 004 *black*
- 014 *matt black*

min 50  
Made to order finish options

i

### Clamp

010 *matt silver*

**max 40kg**  
(85 lbs) per collar



×2

PR-ST-309

- 2 × clamp
- 4 × bolt
- 2 × inner profile adapter set
- 2 × outer profile adapter set

- 004 *black*
- 014 *matt black*

min 50  
Made to order finish options

i




Strux straight front arm with pin (Ø15mm)


021 *satin chrome*

**max 10kg**  
(20 lbs) per arm

300mm PR-ST-136



i



**min 100**  
Made to order options

100mm PR-ST-134  
200mm PR-ST-135

**min 100**  
Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*
- 025 *black chrome*
- 030 *brushed*




Strux curved front arm (Ø15mm)

021 *satin chrome*

**max 10kg**  
(20 lbs) per arm

PR-ST-137



i

**min 100**  
Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*



### Strux shoe holder bracket (Ø15mm)

021 *satin chrome*



PR-ST-138

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
*Made to order finish examples*

### Shoe holder size 3

002 *transparent*

**max 3kg**  
 (6 lbs) per holder



\* Bracket to be ordered separately.  
 Made to order option shown.

PR-FL-166

- 020 *chrome*
- 021 *satin chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
*Made to order finish examples*

### Strux cap holder bracket (Ø15mm)

021 *satin chrome*



PR-ST-139

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
*Made to order finish examples*




### Cap holder size 3

002 transparent

 **max 2kg**  
per holder

\* Cap holder bracket to be ordered separately.  
Made to order option shown.

PR-FL-170



 020 chrome

 021 satin chrome

 022 brass

 023 copper

 **min 100**  
 *Made to order finish examples*





### Ø15mm sign holder clip

002 transparent



×10

\* Sign holder to be ordered separately.

PR-FL-167



10 × Ø15mm clip




### A8L sign holder

002 transparent



×10

PR-RA-151




### A7L sign holder

002 transparent



×10

PR-RA-150






Strux straight front arm with pin (Ø30mm)


021 *satin chrome*

**max 25kg**  
(50 lbs) per arm

300mm PR-ST-145



i



min 100  
Made to order options

100mm PR-ST-143  
200mm PR-ST-144

min 100  
Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*
- 025 *black chrome*
- 030 *brushed*




Strux stepped front arm (Ø30mm)

021 *satin chrome*

**max 25kg**  
(50 lbs) per arm

PR-ST-146



i

min 100  
Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*



### Strux hang rail bracket (Ø30mm)


021 *satin chrome*

**max 20kg**  
(40 lbs) per bracket



\* For use with Ø25mm hang rail.

PR-ST-306



- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
Made to order finish examples

i

### Strux hang rail and 8mm glass / wooden shelf bracket (Ø30mm)

021 *satin chrome*

**max 20kg**  
(40 lbs) per bracket




\* For use with Ø25mm hang rail & max 380mm deep shelf.

PR-ST-307

[cubic.co/library](http://cubic.co/library)

.pdf

Wooden shelf production drawing 008.0017  
Glass shelf production drawing 008.0025



- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
Made to order finish examples

i

### Strux 8mm glass / wooden shelf bracket (Ø30mm)

021 *satin chrome*

**max 20kg**  
(40 lbs) per bracket




\*For use with max 380mm deep shelf

PR-ST-308

[cubic.co/library](http://cubic.co/library)

.pdf

Wooden shelf production drawing 008.0017  
Glass shelf production drawing 008.0025



- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*

**min 100**  
Made to order finish examples

i


### Ø25mm hang rail

021 *satin chrome*



1245mm **PR-TR-091**  
1870mm **PR-TR-333**

47<sup>7</sup>/<sub>8</sub>" **PR-TR-900**  
71<sup>7</sup>/<sub>8</sub>" **PR-TR-901**



max 1870mm (73")

Ø25mm hang rail

Customised length **PR-TR-090**

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*


**min 50**  
Made to order finish examples

**min 10**  
Made to order options

### 8mm glass shelf


040 *clear*

041 *frosted*



620×330mm **PR-FL-315**  
620×380mm **PR-FL-141**  
1245×330mm **PR-FL-316**  
1245×380mm **PR-FL-143**  
1870×330mm **PR-FL-317**  
1870×380mm **PR-FL-318**

23<sup>7</sup>/<sub>8</sub>"×13" **PR-FL-900**  
23<sup>7</sup>/<sub>8</sub>"×15" **PR-FL-901**  
47<sup>7</sup>/<sub>8</sub>"×13" **PR-FL-902**  
47<sup>7</sup>/<sub>8</sub>"×15" **PR-FL-903**  
71<sup>7</sup>/<sub>8</sub>"×13" **PR-FL-904**  
71<sup>7</sup>/<sub>8</sub>"×15" **PR-FL-905**






### 6mm glass shelf bracket set

021 *satin chrome*

**max 10kg**  
(20 lbs) per bracket

\* For use with max 330mm deep shelf.  
Shelf to be ordered separately.


PR-ST-310




### 6mm glass shelf

040 *clear*

041 *frosted*



620×330mm	<b>PR-TR-369</b>	23 <sup>7</sup> / <sub>8</sub> "×13"	<b>PR-TR-906</b>
1245×330mm	<b>PR-TR-370</b>	47 <sup>7</sup> / <sub>8</sub> "×13"	<b>PR-TR-908</b>
1870×330mm	<b>PR-TR-371</b>	71 <sup>7</sup> / <sub>8</sub> "×13"	<b>PR-TR-910</b>



i

Strux shoe shelf bracket


002 transparent



×10

\*Accessories to be ordered separately

PR-ST-315



Angled acrylic shoe shelf


041 frosted

max 1kg  
(2 lbs) per shelf



×10

PR-TR-474



Acrylic shoe shelf


041 frosted

max 1kg  
(2 lbs) per shelf



×10

PR-TR-475






Strux hang rail (Ø30mm)

021 *satin chrome*

**kg max 40kg**  
(85 lbs) per rail

A625 PR-ST-147  
A1250 PR-ST-148



i

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*


**min 50**  
Made to order finish examples

Strux adjustable slotted front arm type A

021 *satin chrome*

**kg max 20kg**  
(40 lbs) per arm

PR-ST-805



i

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*


**min 100**  
Made to order finish examples

Strux adjustable slotted front arm type B

021 *satin chrome*

**kg max 20kg**  
(40 lbs) per arm

PR-ST-801



i

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*


**min 100**  
Made to order finish examples




### Strux adjustable front arm with pins

 021 *satin chrome*

 **max 20kg**  
(40 lbs) per arm



PR-ST-802



i

 014 *matt black*

 020 *chrome*

 022 *brass*

 023 *copper*

 min  
100

 *Made to order finish examples*

Ø30mm sign holder clip



002 transparent

×10

\* Sign holder to be ordered separately.

PR-FL-322



10 × Ø30mm clip




A8L sign holder



002 transparent

×10

PR-RA-151




A7L sign holder



002 transparent

×10

PR-RA-150






### Strux, Index bracket



 000 no finish specified

PR-ST-316



### Index multi-system sign holder





 100 gloss white

\* Sign holder bracket to be ordered separately.

A5L PR-IN-308  
 A5P PR-IN-309  
 A4L PR-IN-310  
 A4P PR-IN-311

7"×5" PR-IN-906  
 5"×7" PR-IN-907  
 11"×8.5" PR-IN-908  
 8.5"×11" PR-IN-909





### Strux multipurpose bracket


021 satin chrome

\* Box in example shown not provided.

PR-ST-110

[cubic.co/library](http://cubic.co/library) .pdf

Production drawing 008.0018



### Strux panel holder


021 satin chrome

\* For use with 6mm thick panels.

PR-ST-303

[cubic.co/library](http://cubic.co/library) .pdf

Panel production drawing 008.0031




### Strux 19mm panel holder

021 satin chrome

\* For use with 19mm thick panels.

PR-ST-311







### Strux shelf bracket

● 021 *satin chrome*


\* Shelf in example shown not provided.

PR-ST-113

[cubic.co/library](http://cubic.co/library)

.pdf

Shelf production drawing 008.0001  
 Corner shelf production drawing 008.0002



### Strux glass shelf bracket

● 021 *satin chrome*



\* Shelf in example shown not provided.

PR-ST-302

[cubic.co/library](http://cubic.co/library)

.pdf

1/2 Shelf production drawing 008.0003  
 Shelf production drawing 008.0004



### Strux 1/2 round glass shelf

● 040 *clear*

● 041 *frosted*

**kg max 15kg**  
 (30 lbs) per shelf

R250mm PR-ST-130

R350mm PR-ST-129

R450mm PR-ST-128

R250mm (10")  
 R350mm (14")  
 R450mm (18")






### Strux glass shelf

040 clear

041 frosted

**max 25kg**  
(55 lbs) per shelf

610mm PR-ST-160  
1235mm PR-ST-304



i




### Strux glass tray

040 clear

041 frosted

**max 15kg**  
(30 lbs) per tray

300mm PR-ST-154  
400mm PR-ST-305




i

### Assembly tool (A)

000 no finish specified



PR-CU-081









### Trax V+ (V4) Profile

011 anodised



### Strux Trax V+ (V4) mounting bracket

021 satin chrome




**Trax V+**

Please refer to Trax V+ product list for the complete range of accessories.

\* Trax V+ upright & accessories to be ordered separately.

PR-VP-323



## Technical Information

Your CUBIC Architectural Representatives can provide technical documentation, production drawings and other useful resources. You may also simply download a variety of support tools from the CUBIC Library - [cubic.co/library](http://cubic.co/library). A member login key is required to access this section. To acquire a login key or any other technical enquiries contact your CUBIC Architectural Representatives or email CUBIC corporate at [support@cubic.co](mailto:support@cubic.co).

## Symbols

 Information

 Package content

 Dimensions

 Assembly example

 .pdf Downloadable production drawing

 Maximum load

## Specifications

- All dimensions provided within are in millimetres (approximate dimensions are provided in inches for reference only).
- All weights are in kilograms (approximate weights are provided in pounds for reference only).
- All threads, screws, bolts & nuts specified within & provided are metric.
- All glass used is tempered (safety) glass.



## 'Made to Order'

*Our products are inventoried in our standard finishes and surface treatments, however that is just the beginning of what is possible.*

*Custom solutions are at the heart of what we do for our customers and our "Made to Order" program provides our clients maximum flexibility in realising their creations with a variety of finish possibilities.*



## 'Made to Order' quantity guide

*Next to many of the items we have presented, there are several "Made to Order" finish suggestions as well as the quantity guideline to assist you in the planning and production of the custom finish. This program is not for every project... it does require some planning and a little extra time to get it right. Our Architectural Representatives are eager to help you navigate the process.*

## Safety Information

At CUBIC, we are dedicated to ensuring that our products offer the highest level of safety. All products have been vigorously tested for safety and durability. TÜV Rheinland has tested various CUBIC products for safety, awarded the GS mark and validated that all relevant standards and technical norms are observed. It must be noted that the safety of our products are subject to:



- Observing national regulations
- Observing accident prevention regulations
- Installation according to CUBIC instructions
- Installation only on structurally sound and appropriate walls, ceilings and floors
- Panels being strengthened with wooden beams or angle sections to prevent bowing
- A safety check being performed before drilling into any surface
- Use of products only upon completion of installation
- Appropriate use of the products
- Using only original or approved accessories
- Keeping within recommended weight loading specifications as per CUBIC literature
- Using only tempered (safety) glass
- Avoiding alterations and adaptation where not appropriate and not approved by CUBIC
- Maintaining a common level of caution and alertness when in use
- Keeping away anyone whom is not qualified to use CUBIC products, in particular children

**Important:** Only qualified people must be used for design, installation and disassembly of CUBIC products. It is highly recommended that all persons involved in design, installation, disassembly and use of these products read the CUBIC assembly instructions and specifications literature to become fully aware of the safety measures that must be followed.

## Sales Terms

General CUBIC™ delivery conditions, payment terms, warranty and return policy are valid for all orders. Please contact your CUBIC™ representative for further information.

## Intellectual Property

All information, images, products and names shown in this document, whether registered or not, are intellectual property rights. We reserve the right to take legal steps against any infringement of our intellectual property. Various CUBIC™ products are the subject of patent applications filed in accordance with the Paris Convention for the Protection of Industrial Property.

*cubic.co*

*info@cubic.co*