



Trax V
Vertical slot display system

Trax V+
Vertical slot display system
3rd edition

CUBIC *The longest shelf life.*

4	<i>Trax V4 profiles & end cap</i>
8	<i>Trax V+ (V4) profiles & mounts</i>
12	<i>Trax V+ mounting brackets for Strux</i>
14	<i>Trax V4 accessories</i>
32	<i>Trax V2 accessories</i>


Discover CUBIC...

Modular store fixtures that feature simplicity and flexibility. We specialise in converting your design challenge into what you need, when you need it. Our products are designed to complement creativity and are backed by support tools to allow your design team to bring your vision to reality.

Go on, get creative...

The timeless vertical.

Trax V takes creating beautiful commercial interiors using vertical slot display systems to another level. Merchandise is adorned on continuous shelving or on CUBIC accessories, all securely attached to the sleek end capped profiles which are installed into 16mm panels.









V4 end cap

 008 *satin silver*

PR-TR-019




V4 profile for 16mm wooden panel

 011 *anodised*Customised length **PR-TR-421**


i

V4 profile components for 16mm wooden panel

011 anodised












Trax V+ (V4) Profile

011 anodised




Trax V+ (V4) Profile components

011 anodised




Trax V+ (V4) end cap and foot



008 satin silver

PR-VP-318



Trax V+ (V4) mounting bracket




021 satin chrome

×3

* Mounting hardware is not included.

PR-VP-301



Trax V+ (V4) mounting bracket for wooden panel (19mm)




021 satin chrome


max 100kg
(200 lbs) per upright

×3

* Mounting bolts supplied are for use on 19mm (3/4") panel.

PR-VP-302





Trax V+ (V4) double sided mounting bracket for wooden panel (19mm/38mm)


021 satin chrome

max 100kg
(200 lbs) per upright

×3

* Mounting bolts supplied are for use on 19mm (3/4") & 38mm (1 1/2") panel.

PR-VP-306



Trax V+ (V4) mounting bracket for glass panel (10mm)


021 satin chrome

max 80kg
(160 lbs) per upright

×3

* Mounting bolts supplied are for use on 10mm (3/8") panel.

PR-VP-303



Trax V+ (V4) double sided mounting bracket for glass panel (10mm)


021 satin chrome

max 80kg
(160 lbs) per upright

×3

* Mounting bolts supplied are for use on 10mm (3/8") panel.

PR-VP-304







Strux Trax V+ (V4) mounting bracket



021 satin chrome

**Strux**

Please refer to Strux product list for
the complete range of accessories.

* Strux upright & accessories to be ordered separately.

PR-VP-323


×3

3 × bracket



3 × profile screw & sleeve set

3 × fixing set screw





V4 straight front arm with pin (Ø15mm)

021 *satin chrome*

max 10kg
(20 lbs) per arm

300mm **PR-TR-806**

i



Made to order options

100mm **PR-TR-804**
200mm **PR-TR-805**




Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*
- 025 *black chrome*
- 030 *brushed*

V4 shoe holder bracket (Ø15mm)

021 *satin chrome*

PR-TR-808



Made to order finish examples

- 014 *matt black*
- 020 *chrome*
- 022 *brass*
- 023 *copper*



Shoe holder size 3



002 transparent

max 3kg
(6 lbs) per holder



* Bracket to be ordered separately.
* Made to order option shown.

PR-FL-166



020 chrome

021 satin chrome

022 brass

023 copper



Made to order finish examples


i

V4 cap holder bracket (Ø15mm)

021 satin chrome



PR-TR-809



014 matt black

020 chrome

022 brass

023 copper



Made to order finish examples



Cap holder size 3


002 transparent

max 2kg
(4 lbs) per holder



* Cap holder bracket to be ordered separately.
* Made to order option shown.

PR-FL-170



020 chrome

021 satin chrome

022 brass

023 copper



Made to order finish examples



V4 shoe shelf bracket

002 transparent



×10

* Shelf to be ordered separately.

PR-TR-478

10 × bracket



40 × screw




Angled acrylic shoe shelf

041 frosted




×10

 max 1kg
(2 lbs) per shelf

PR-TR-474

10 × shelf




Acrylic shoe shelf

041 frosted




×10

 max 1kg
(2 lbs) per shelf

PR-TR-475

10 × shelf





Ø15mm sign holder clip

002 transparent



×10

* Sign holder to be ordered separately.

PR-FL-167



10 × Ø15mm clip



V4 sign holder bracket


020 chrome



×10

* Sign holder to be ordered separately.

PR-TR-112



10 × bracket




A8L sign holder

002 transparent



×10

PR-RA-151




A7L sign holder

002 transparent



×10

PR-RA-150



i


V4 straight front arm with pin (Ø25mm)

021 satin chrome


max 20kg
(40 lbs) per arm



300mm PR-TR-815



i



- 014 matt black
- 020 chrome
- 022 brass
- 023 copper
- 025 black chrome
- 030 brushed



Made to order options

100mm PR-TR-813
200mm PR-TR-814



Made to order finish examples




V4 angled front arm (Ø25mm)

021 *satin chrome*

max 20kg
(40 lbs) per arm

PR-TR-816



i


014 *matt black*

020 *chrome*

022 *brass*

023 *copper*

min 100
Made to order finish examples




V4 stepped front arm (Ø25mm)

021 *satin chrome*

max 20kg
(40 lbs) per arm

PR-TR-817



i

014 *matt black*

020 *chrome*

022 *brass*

023 *copper*

min 100
Made to order finish examples




020 *chrome*

021 *satin chrome*

max 50kg
(100 lbs) per rail

A 625 PR-TR-336
A 1250 PR-TR-339

A 24" PR-TR-924
A 48" PR-TR-925



014 *matt black*


020 *chrome*

022 *brass*

023 *copper*

min 100
Made to order finish examples

V4 hang rail bracket (Ø25mm)




max 20kg
(40 lbs) per bracket




* For use with Ø25mm hang rail.

PR-TR-818



i



V4 hang rail bracket




max 20kg
(40 lbs) per bracket




* For use with Ø25mm hang rail.

PR-TR-127



i



V4 hang rail and 8mm glass / wooden shelf bracket



max 20kg
(40 lbs) per bracket



* For use with Ø25mm hang rail & max 380mm deep shelf.


PR-TR-103

cubic.co/library


.pdf

Wooden shelf production drawing
Glass shelf production drawing

008.0017
008.0025



i






Ø25mm hang rail

020 *chrome*021 *satin chrome*

1245mm **PR-TR-091**
1870mm **PR-TR-333**

47 $\frac{7}{8}$ " **PR-TR-900**
71 $\frac{7}{8}$ " **PR-TR-901**



V4-8mm glass / wooden shelf bracket

010 matt silver

max 20kg
(40 lbs) per bracket



* For use with max 380mm deep shelf.


PR-TR-106

cubic.co/library

.pdf

Wooden shelf production drawing
Glass shelf production drawing

008.0017
008.0025



shelf bracket

014 matt black

020 chrome

022 brass

023 copper



Made to order finish examples

i

V4-8mm shelf bracket

010 matt silver


max 15kg
(30 lbs) per bracket



* For use with max 380mm deep shelf.

* Shelf to be ordered separately.

PR-TR-468



shelf bracket



8mm glass shelf

040 clear

041 frosted

620×330mm **PR-FL-315**

620×380mm **PR-FL-141**

1245×330mm **PR-FL-316**

1245×380mm **PR-FL-143**

1870×330mm **PR-FL-317**

1870×380mm **PR-FL-318**

23⁷/₈" × 13" **PR-FL-900**

23⁷/₈" × 15" **PR-FL-901**

47⁷/₈" × 13" **PR-FL-902**


47⁷/₈" × 15" **PR-FL-903**

71⁷/₈" × 13" **PR-FL-904**

71⁷/₈" × 15" **PR-FL-905**

620mm
1245mm
1870mm
23⁷/₈" (606mm)
47⁷/₈" (1216mm)
71⁷/₈" (1826mm)

330mm (13")
380mm (15")



8mm glass shelf

i



V4 wooden shelf bracket set with ends

010 matt silver

max 40kg
(85 lbs) per set



* For use with max 380mm deep shelf.
* Shelf to be ordered separately.


PR-TR-110

cubic.co/library

.pdf

Shelf production drawing

008.0006




L & R bracket set



V4-19mm wooden shelf bracket set

010 matt silver

max 30kg
(60 lbs) per set



* For use with max 380mm deep shelf.
* Shelf to be ordered separately.


PR-TR-111

cubic.co/library

.pdf

Shelf production drawing

008.0006



L & R bracket set



V4-15x30 hang rail bracket


021 satin chrome

max 15kg
(30 lbs) per bracket



* 15x35 hang rail and accessories to be ordered separately.

PR-TR-501




hang rail bracket

screw




15x30 hang rail




1245mm **PR-TR-340**
1870mm **PR-TR-341**

47⁷/₈" **PR-TR-922**
71⁷/₈" **PR-TR-923**




V4-15x30 hang rail set



max 30kg
(60 lbs) per rail

A 625 **PR-TR-337**
A 1250 **PR-TR-338**

A 24" **PR-TR-920**
A 48" **PR-TR-921**







Ø6mm hook




max 1.5kg
(3 lbs) per hook



200mm **PR-TR-527**



i




Made to order options


100mm **PR-TR-525**
150mm **PR-TR-526**




Made to order finish examples




Ø8mm hook




max 2kg
(4 lbs) per hook



250mm **PR-TR-524**



i




Made to order options

100mm **PR-TR-521**
150mm **PR-TR-522**
200mm **PR-TR-523**



Made to order finish examples






Ø8mm angled hook




max 2kg
(4 lbs) per hook

PR-TR-076





Made to order finish examples

Ø20mm straight front arm



max 15kg
(30 lbs) per arm

PR-TR-077





Made to order finish examples

Ø20mm angled front arm




max 15kg
(30 lbs) per arm

PR-TR-078



Made to order finish examples




Ø20mm stepped front arm

021 *satin chrome*

max 15kg
(30 lbs) per arm

PR-TR-079



i

014 *matt black*

020 *chrome*

022 *brass*

023 *copper*



Made to order finish examples




Trax V4 Physiqx bottom intake arm (Ø25mm)

021 *satin chrome*

max 15kg
(30 lbs) per arm

PR-PH-008



014 *matt black*

020 *chrome*

022 *brass*

023 *copper*



Made to order finish examples




Trax V4 Physiqx neck mount arm (Ø25mm)

021 *satin chrome*

max 15kg
(30 lbs) per arm

PR-PH-009



014 *matt black*

020 *chrome*

022 *brass*

023 *copper*




Made to order finish examples



Female torso

-  090 *silver (RAL 9006)*
-  100 *gloss white (RAL 9003S)*
-  200 *gloss black (RAL 9005S)*

PR-PH-012




i



Male torso


-  090 *silver (RAL 9006)*
-  100 *gloss white (RAL 9003S)*
-  200 *gloss black (RAL 9005S)*

PR-PH-013




i








V2-Ø25mm hang rail set

020 *chrome*021 *satin chrome***max 50kg**
(100 lbs) per railA 625 PR-TR-420
A 1250 PR-TR-427A 24" PR-TR-916
A 48" PR-TR-917014 *matt black*020 *chrome*022 *brass*023 *copper*min 100
Made to order finish examples

V2-10mm glass shelf bracket set

010 *matt silver***max 30kg**
(60 lbs) per set

* For use with max 380mm deep shelf.

* Shelf to be ordered separately.


PR-TR-431

cubic.co/library



.pdf

Shelf production drawing

008.0005



10mm glass shelf

040 *clear*041 *frosted*620mm PR-TR-109
1245mm PR-TR-116A 24" PR-TR-912
A 48" PR-TR-913

V2 wooden shelf bracket set with ends



010 matt silver

max 40kg
(85 lbs) per set

* For use with max 380mm deep shelf.
* Shelf to be ordered separately.

PR-TR-432


cubic.co/library

.pdf


Shelf production drawing

008.0006

L & R bracket set



V2-19mm wooden shelf bracket set



010 matt silver

max 30kg
(60 lbs) per set

* For use with max 380mm deep shelf.
* Shelf to be ordered separately.

PR-TR-430


cubic.co/library

.pdf

Shelf production drawing

008.0006

L & R bracket set



V2-15x30 hang rail set



020 chrome


021 satin chrome

max 30kg
(60 lbs) per rail

A 625 PR-TR-428
A 1250 PR-TR-429

A 24" PR-TR-918
A 48" PR-TR-919

15 × 30mm ($\frac{5}{8}$ " × $1\frac{3}{16}$ ") hang rail



014 matt black

020 chrome

022 brass

023 copper

min
100

Made to order finish examples



Technical Information

Your CUBIC Architectural Representatives can provide technical documentation, production drawings and other useful resources. You may also simply download a variety of support tools from the CUBIC Library - cubic.co/library. A member login key is required to access this section. To acquire a login key or any other technical enquiries contact your CUBIC Architectural Representatives or email CUBIC corporate at support@cubic.co.

Symbols



Information



Package content



Dimensions



Assembly example



Downloadable production drawing



Maximum load

Specifications

- All dimensions provided within are in millimetres (approximate dimensions are provided in inches for reference only).
- All weights are in kilograms (approximate weights are provided in pounds for reference only).
- All threads, screws, bolts & nuts specified within & provided are metric.
- All glass used is tempered (safety) glass.

'Made to Order'

Our products are inventoried in our standard finishes and surface treatments, however that is just the beginning of what is possible.

Custom solutions are at the heart of what we do for our customers and our "Made to Order" program provides our clients maximum flexibility in realising their creations with a variety of finish possibilities.



'Made to Order' quantity guide

Next to many of the items we have presented, there are several "Made to Order" finish suggestions as well as the quantity guideline to assist you in the planning and production of the custom finish. This program is not for every project... it does require some planning and a little extra time to get it right. Our Architectural Representatives are eager to help you navigate the process.

*Another vertical slot display system you may want to consider: **Trax VQ**.*

062015
metric (imperial)

cubic.co

info@cubic.co

The material contained in this document may contain inaccuracies or typographical errors and may be subject to modification or update by CUBIC™ without prior notice.